


# SCENC CRUISER GULESTREAM







Model 8880 DIESEL




OHC

Model 8381 DIESEL

# GUFSREAMS VENERATION GRADUE OF STRENGTH

- 1. Seamless Rubber Roof For Greater Energy Efficiency and Dependability.
- 2. Luan Decking for Additional Strength.
- 3. Molded E.P.S. Brick Insulation Provides Consistent Insulative Value As Well As Superior Dimensional Rigidity.
- 4. One-Piece Formed Aluminum Air Conditioning Duct, Completely Surrounded By Polystyrene Insulation.
- 5. Bubble-Wrapped Foil Insulation Provides Superior Insulation.
- 6. Rugged Welded Tube Roof Framing.
- 7. Soft Touch Ceiling Fabric for Added Sound Insulation.
- 8. Aluminum Cove Molding.
- 9. Bubble-Wrapped Foil Insulation Minimizes Thermal Transfer.
- 10. Rugged Roll-Formed Steel Roof-to-Sidewall Transition Member Insures Structural Integrity and Stability.
- 11. Die-Stamped Steel Transition Member Gusseting Provides Greater Strength and Structural Integrity.
- 12. Rugged Heavy-Gauge Tubing, Fixture Welded to Form the Sidewall Framing.
- 13. High-Density E.P.S. Insulation Provides Superior Laminating and Bonding Characteristics and Insures Greater Energy Efficiency.
- 14. Interior Wall Panels Securely Laminated to Sidewall Framing.



- 15. "Mende" Fiberglass Exterior, Vacuum-Bond Laminated to Sidewall Framing for Lasting Beauty and Durability.
- 16. Aluminum Trunk Door Hinge Extrusion Provides A Tight Seal Discouraging Air or Water Infiltration.
- 17. High-Quality Stain-Resistant Carpeting Available in Designer-Coordinated Colors.
- 18. Extra-Thick Padding Under Carpet Provides Extra Comfort and Increases Carpet Durability.
- 19. Continuous Structurwood Floor Decking Laminated to Steel Floor Structure Assures a Quiet, Long-Lasting, Rigid Floor
- 20. Heavy-Gauge Steel Tube Fra Fixture Welded for Extra Strength and Stability.
- 21. Heavy-Gauge Steel Tube Framing, Fixture Welded Floor Truss System Provides the Strongest Motorhome Foundation in the Industry.
- 22. Seamless Layer of Galvanized Steel Securely Laminated to the Steel Floor Framing.
- 23. Galvanized Steel Used to Form Each Storage & Holding Compartment.
- 24. Durable All-Weather Carpeting Completes Each Accessible Storage Compartment, Providing Extra Protection for Luggage and Valuables.
- 25. Rust-Prohibitive Paint Coating Applied to All Steel Framing Assures Corrosion and Rust Protection.

GULFSTREAM-BULTOUSTH

# SPECIFICATIONS

Chassis:         ALPINE         ALPINE         ALPINE         MTN MASTER         252"         252	DIESEL MODELS	8360	8361	8362	8380	8381
Wheelbase         234"         234"         234"         252"         252"           GVWR (lbs.)         26,000         26,000         29,400         29,400           DIMENSIONS:           Overall Length (approx.)         37' 6"         37' 6"         37' 6"         39' 0"           Overall Height w/Roof A/C         12' 0"         12' 0"         12' 1"         12' 1"           Overall Width         101"         101"         101"         101"         101"           Interior Height         80"         80"         80"         80"         80"           Interior Width         97"         97"         97"         97"         97"           CAPACITIES:         Fresh Water Tank (Gal.)         100         100         100         100         100           Grey Holding Tank (Gal.)         50         50         50         50         50         50           Black Holding Tank (Gal.)         50         50         50         50         50         50           Water Heater w/DSI (Gal.)         10         10         10         10         10         10           LP Gas Tank (lbs.)         150         150         150         150         150<	⊖hassis:					SPARTAN MTN MASTER
GVWR (lbs.) 26,000 26,000 29,400 29,400 29,400 DIMENSIONS:  Overall Length (approx.) 37' 6" 37' 6" 39' 0" 39' 0" 39' 0" Overall Height w/Roof A/C 12' 0" 12' 0" 12' 0" 12' 1" 12' 1" 12' 1" 12' 1" 101" 101" 101" 101" 101" 101" 101"	_ngine (HP)	275	275	275	325	325
DIMENSIONS:         37' 6"         37' 6"         37' 6"         39' 0"         39' 0"           Overall Length (approx.)         37' 6"         37' 6"         39' 0"         39' 0"           Overall Height w/Roof A/C         12' 0"         12' 0"         12' 1"         12' 1"           Overall Width         101"         101"         101"         101"           Interior Height         80"         80"         80"         80"           Interior Width         97"         97"         97"         97"           CAPACITIES:	Wheelbase	234"	234"	234"	252"	252"
Overall Length (approx.)         37' 6"         37' 6"         37' 6"         39' 0"           Overall Height w/Roof A/C         12' 0"         12' 0"         12' 0"         12' 1"         12' 1"           Overall Width         101"         101"         101"         101"         101"         101"           Interior Height         80"         80"         80"         80"         80"         80"           Interior Width         97"         97"         97"         97"         97"         97"           CAPACITIES:	GVWR (lbs.)	26,000	26,000	26,000	29,400	29,400
Overall Height w/Roof A/C         12' 0"         12' 0"         12' 0"         12' 1"         12' 1"           Overall Width         101"         100"         100	DIMENSIONS:					
Overall Width         101"         80"         97"	Overall Length (approx.)	37' 6"	37' 6"	37' 6"	39' 0"	39' 0"
Interior Height         80"         90"         97"	Overall Height w/Roof A/C	12' 0"	12' 0"	12' 0"	12' 1"	12' 1"
Interior Width         97"	Overall Width	101"	101"	101"	101"	101"
CAPACITIES:           Fresh Water Tank (Gal.)         100         100         100         100         100           Grey Holding Tank (Gal.)         50         50         50         50         50           Black Holding Tank (Gal.)         50         50         50         50         50           Water Heater w/DSI (Gal.)         10         10         10         10         10         10           LP Gas Tank (lbs.)         150         150         150         150         150         100         100         100         100	Interior Height	80"	80"	80"	- 80"	80"
Fresh Water Tank (Gal.)         100         100         100         100         100           Grey Holding Tank (Gal.)         50         50         50         50         50           Black Holding Tank (Gal.)         50         50         50         50         50           Water Heater w/DSI (Gal.)         10         10         10         10         10           LP Gas Tank (lbs.)         150         150         150         150         150           Fuel Tank (Gal.)         100         100         100         100         100	Interior Width	97"	97"	97"	97"	97"
Grey Holding Tank (Gal.)     50     50     50     50       Black Holding Tank (Gal.)     50     50     50     50       Water Heater w/DSI (Gal.)     10     10     10     10       LP Gas Tank (lbs.)     150     150     150     150       Fuel Tank (Gal.)     100     100     100     100	CAPACITIES:					
Black Holding Tank (Gal.) 50 50 50 50 50 50 50 Water Heater w/DSI (Gal.) 10 10 10 10 10 10 LP Gas Tank (Ibs.) 150 150 150 150 150 150 Fuel Tank (Gal.) 100 100 100 100 100	Fresh Water Tank (Gal.)	100	100	100	100	100
Water Heater w/DSI (Gal.)       10       10       10       10       10         LP Gas Tank (lbs.)       150       150       150       150       150         Fuel Tank (Gal.)       100       100       100       100       100	Grey Holding Tank (Gal.)	50	50	50	50	50
LP Gas Tank (lbs.)     150     150     150     150     150       Fuel Tank (Gal.)     100     100     100     100     100	Black Holding Tank (Gal.)	50	50	50	50	50
Fuel Tank (Gal.) 100 100 100 100 100	Water Heater w/DSI (Gal.)	10	10	10	10	10
Fuel Tank (Gal.)         100         100         100         100	LP Gas Tank (lbs.)	150	150	150	150	150
Furnace (BTU's) 40K 40K 40K 40K 40K		100	100	100	100	100
	Furnace (BTU's)	40K	40K	40K	40K	40K

### Interior and Decor

- Mirage Ivory or Oak Cabinetry w/Etched Glass Doors in Living Room & Bath Solid Surface Kitchen Countertop w/Backsplash and Knife Holder
- Custom Padded Dash w/Illuminated Gauges
- · Day/Night Pleated Shades in LVRM & BDRM
- Pleated Privacy Curtain
- · 3-Way, Feather Touch Captains Chairs
- Deluxe Furniture Package
- . Deluxe Door and Window Drapes
- Coordinated Bedspread and Shams
- Generous Overhead Storage Compartments
- Free Standing Dinette and 2 Chairs (most models)
- Queen Size Bed w/Deluxe Innerspring Mattress
- · Mini-Blinds in Kitchen
- · Mirrored Closet Doors
- Heavy Duty Clear Vinyl Runner Over Carpet

### **Appliances**

- Deluxe 3-Burner High-Performance Range w/Oven
- · Lighted Power Range Hood
- 19" Color TV (VCR Ready)
- TV Antenna w/Amp, Boost and 2 Jacks
- · 2-Door, 2-Way Refrigerator
- · LP Gas Leak Detector
- · Carbon Monoxide Detector

## **Heating and Air Conditioning**

- ed Furnace w/Elect. Ignition 5,000 BTU (most models)
- · Pre-Wired for Ducted Roof A/C

### **Exterior and Construction**

- Unified "New Generation" Body Structure, Providing a Cradle of Strength:
- 1-1/2" x 1-1/2" Tubular Steel Sub-Floor Trusses
- 1-1/2" x 1-1/2" Tubular Steel Floor Framing
- Vacuum-Bond Laminated Floor w/Metal Under-Belly
- Vacuum Bond Laminated Sidewalls w/Tubular Metal Framing and One Piece Fiberglass w/Mende Backer
- Vacuum Bond Laminated Roof w/Tubular Metal Framing, and Roof Brick Block Foam Insulation Throughout
- One-Piece, Radiused Rubber Roof w/12 Year Warranty
- Virtually Seamless Weyerhauser Structurwood Floor Decking w/10 Year Warranty
- · Angled Steel Sidewall-to-Roof Transition Member
- · Upgrade Hinged Exterior Storage Doors
- Heated & Fully Enclosed Holding Tanks
- · High-Density Block Foam Insulation Throughout
- Molded Roof Brick Insulation, Surrounds Ducted Roof A/C
- · Sidewalls Lag-bolted Every 8" to Floor Structure
- · Fully Welded Steel Firewall
- · Rear Fiberglass Cap with Integrated Bumper
- Outstanding Side-to-Side, Carpeted and Lighted Exterior Pass-Through Storage
- · Radius Entry Door w/Deadbolt Lock
- · Sealed Perimeter and Engine Compartment
- · Large Panoramic Windshield
- Deluxe Outside Mirrors
- · Jalousie Windows in Bedroom

### **Deluxe Std. Features**

- · Auto Dash Air Conditioner
- Auto Cruise Control
- Stainless Steel Wheel Inserts
- Rally Hook-Up
- Electric Step
- Rear Ladder
- Floor Mats
- Super Slick Exterior Fiberglass
- AM/FM Cassette w/4 Spkrs.
- Monitor Panel in Range Hood
- 150 lb. LP Tank
  Radial Tires
- Tinted Windshield & Windows
- · Wall Safe
- · Lighted Entry Step
- Driving Lights

## Electrical Systems

- Easy-Access Dual Battery System
- Power Vent in Bath and Kitchen
- Electric Supply Cord
- Electric Overload Protection
- Automotive Color-Coded Wiring
   Lighted Entry & Aigle Lights
- Lighted Entry & Aisle Lights
- 12V, 45-Amp Convertor

w/Battery Charger

# Chassis (Diesel Models)

- Spartan ALPINE Chassis, w/Cummins 6CTA 8.3, 275HP, 800 ft.lb. Torque Turbo-Charged Rear Mounted Diesel Engine (36' models)
- Allison MD-3060P 6-Speed, Electronically Shifted Automatic Transmission
- · Full Air-Ride Suspension
- · Full Air Brakes
- · High Capacity Automotive Heater
- · Tilt Steering Wheel
- PAC Brake
- 38' Models ONLY: MOUNTAIN MASTER Chassis
  Featuring Cummins 8.3 Litre, Turbo-Charged 325 HP
  Diesel Engine, 915 ft. lb. Torque, Side-Mounted Radiator

### **Bath and Water**

- Super-Flow Manifold Water Distribution System
- Demand Water System
- · City Water Hook-Up
- Double Stainless Steel Sink (Kitchen)
- White Single Lever Kitchen Faucet
- · Sink Covers
- Gold Neo-Angle Shower Surround
- · Sky Dome in Shower Area
- · Brass Look Bath Fixtures
- · Mirrored Medicine Cabinet
- · Dual Pedestal Marine Toilet w/Sprayer
- · One-Piece Fiberglass Tub

GULF STREAM.

P.O. Box 1005 • Nappanee, IN 46550 Ph. 1-800-289-8787, ext. 3288 Visit our Web Site at: www.GULFSTREAMCOACH.com For further information and available floorplan options, contact your local dealer or Gulf Stream Coach, Inc. Gulf Stream Coach, Inc. reserves the right to make changes in prices, colors, materials, components and specifications and to discontinue models at any time without notice or obligation. Gulf Stream Coach, Inc. assumes no responsibility for any error in type or print reproduction of specifications or lloorplans in this brochure. TP 20M 11/97